according to Regulation (EC) No. 1907/2006

Honeywell

Genetron® 404A

Version 3.2 Revision Date 26.01.2016 Supersedes 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Genetron® 404A

SDS-number : 000000009893

Type of product : Mixture

Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the : Refrigerant

Substance/Mixture

Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company : Honeywell Fluorine Products Honeywell International, Inc.

Europe B.V. 115 Tabor Road

Laarderhoogtweg 18 Morris Plains, NJ 07950-2546

1101 EA Amsterdam USA

Netherlands

Telephone : (31) 020 5656911 Telefax : (31) 020 5656600

For further information, : PMTEU Product Stewardship: please contact: SafetyDataSheet@Honeywell.com

1.4. Emergency telephone number

Emergency telephone : +1-703-527-3887 (ChemTrec-Transport)

number +1-303-389-1414 (Medical)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Gases under pressure Liquefied gas

H280 Contains gas under pressure; may explode if heated.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms :

 \Diamond

Signal word : Warning

Hazard statements : H280 Contains gas under pressure; may

Page 1 / 12

according to Regulation (EC) No. 1907/2006



Genetron® 404A

Version 3.2 Revision Date 26.01.2016 Supersedes 2

explode if heated.

Precautionary statements : P260 Do not breathe dust/ fume/ gas/ mist/

vapours/ spray.

P280 Wear protective gloves/ eye protection/

face protection.

P284 In case of inadequate ventilation wear

respiratory protection.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

P410 + P403 Protect from sunlight. Store in a well-

ventilated place.

Hazardous components which must be listed on the

label

: 1,1,1-Trifluoroethane

2.3. Other hazards

High vapour concentrations can cause headaches, dizziness, drowsiness, and nausea, and may lead to unconsciousness. May cause cardiac arrhythmia.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Chemical Name	CAS-No. Index-No. Registration number EC-No.	Classification 1272/2008	Concentration	Remarks
1,1,1-Trifluoroethane (Active ingredient)	420-46-2 01-2119492869-13 206-996-5	Flam. Gas 1; H220 Press. Gas ; H280	>= 50 - <= 100	1*
Pentafluoroethane (Active ingredient)	354-33-6 01-2119485636-25 206-557-8	Press. Gas ; H280	>= 30 - <= 50	1*
Norflurane (Active ingredient)	811-97-2 01-2119459374-33 212-377-0	Press. Gas ; H280	>= 3 - < 5	1*

^{1* -} For specific concentration limits see Annexes of 1272/2008

according to Regulation (EC) No. 1907/2006



Genetron® 404A

Version 3.2

Revision Date 26.01.2016

Supersedes 2

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

Remove to fresh air. Artificial respiration and/or oxygen may be necessary. Call a physician immediately.

Skin contact:

Rapid evaporation of the liquid may cause frostbite. In case of contact with liquid, thaw frosted parts with water, then remove clothing carefully. Wash with plenty of water Consult a physician. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.

Eye contact:

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion:

Ingestion is unlikely because of the physical properties and is not expected to be hazardous. As this product is a gas, refer to the inhalation section.

4.2. Most important symptoms and effects, both acute and delayed

no data available

4.3. Indication of any immediate medical attention and special treatment needed

Do not give adrenaline or similar drugs.

See Section 11 for more detailed information on health effects and symptoms.

according to Regulation (EC) No. 1907/2006



Genetron® 404A

Version 3.2

Revision Date 26.01.2016

Supersedes 2

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product is not flammable.

ASHRAE 34

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Possibility of generating hazardous reactions during a fire due to the presence of F and Cl groups.

Heating will cause pressure rise with risk of bursting

Cool closed containers exposed to fire with water spray.

This product is not flammable at ambient temperatures and atmospheric pressure.

However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.

5.3. Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Immediately contact emergency personnel. Wear personal protective equipment. Unprotected persons must be kept away. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. The product evapourates readily.

6.3. Methods and materials for containment and cleaning up

Ventilate the area.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Open drum carefully as content may be under pressure. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Pressurized container. Protect

according to Regulation (EC) No. 1907/2006



Genetron® 404A

Version 3.2

Revision Date 26.01.2016

Supersedes 2

from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Do not use in areas without adequate ventilation. Contaminated equipment (brushes, rags) must be cleaned immediately with water.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not get in eyes, on skin, or on clothing. Remove and wash contaminated clothing before re-use. Keep working clothes separately.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep away from direct sunlight. Keep containers tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Specific use information:

Restricted to professional users.

For industrial use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
Norflurane	HONEYWELL TWA	1.000 ppm		
Norflurane	EH40 WEL TWA	4.240 mg/m3 1.000 ppm		

TWA - Time weighted average

DNEL/ PNEC-Values

DIVLLY I NEC-VAIU					
Component	End-use / Impact	Exposure duration	Value	Exposure routes	Remarks
1,1,1-Trifluoroethane	Workers / Long-term systemic effects		38800 mg/m3	Inhalation	
1,1,1-Trifluoroethane	Consumers / Long-term systemic effects		10700 mg/m3	Inhalation	
Pentafluoroethane	Workers / Long-term systemic effects		16444 mg/m3	Inhalation	

according to Regulation (EC) No. 1907/2006



Genetron® 404A

Version 3.2

Revision Date 26.01.2016

Supersedes 2

Pentafluoroethane	Consumers / Long-term systemic effects	175 mg/n	
Norflurane	Workers / Long-term systemic effects	1393 mg/n	
Norflurane	Consumers / Long-term systemic effects	247 mg/n	

Component	Environmental compartment / Value	Remarks
1,1,1-Trifluoroethane	Fresh w ater: 0,35 mg/l	Assessment factor: 1000
Pentafluoroethane	Fresh w ater: 0,1 mg/l	Assessment factor: 1000
Pentafluoroethane	Fresh w ater sediment: 0,6 mg/kg dw	
Norflurane	Fresh w ater: 0,1 mg/l	Assessment factor: 1000
Norflurane	Marine w ater: 0,01 mg/l	Assessment factor: 10000
Norflurane	Fresh w ater sediment: 0,75 mg/kg	Assessment factor: 100
Norflurane	Sew age treatment plant: 73 mg/l	Assessment factor: 10

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, safety shoes EN-ISO 20345.

Personal protective equipment

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment. Self-contained breathing apparatus (EN 133)

Hand protection:

Protective gloves against cold

(EN 511)

Eye protection:

Safety glasses with side-shields conforming to EN166

Face-shield

Page 6 / 12

according to Regulation (EC) No. 1907/2006

Honeywell

Genetron® 404A

Version 3.2 Revision Date 26.01.2016 Supersedes 2

Skin and body protection:

Protective footwear

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form Liquefied gas

Colour colourless

Odour weak

molecular weight : Not applicable

: -47,8 °C Boiling point/boiling range

Flash point Not applicable

Lower explosion limit None

Upper explosion limit None

: 12.610 hPa Vapour pressure

at 21,1 °C

Vapour pressure 25.572 hPa

at 54,4 °C

Density : 1,08 g/cm3

at 21,1 °C

рΗ : neutral

Water solubility Very slightly soluble in cold water, hot water.

Partition coefficient: n-

log Pow 1,06

Medium: 1,1,1,2-tetrafluoroethane (HFC-134a) octanol/water

: 3,43 Relative vapour density

(Air = 1.0)

Evaporation rate : >1

Method: Compared to CCl4.

9.2 Other Information

according to Regulation (EC) No. 1907/2006

Honeywell

Genetron® 404A

Version 3.2

Revision Date 26.01.2016

Supersedes 2

no additional data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. Hazardous polymerisation does not occur.

10.2. Chemical stability

no data available

10.3. Possibility of hazardous reactions

no data available

10.4. Conditions to avoid

Heating will cause pressure rise with risk of bursting

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

10.5. Incompatible materials

oxidizing substances

Possible incompatibility with alkali sensitive materials.

Powdered metals

10.6. Hazardous decomposition products

Halogenated compounds Hydrogen fluoride Carbonyl halides Carbon oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:
Not applicable

Acute dermal toxicity: no data available

Acute inhalation toxicity:

LC50

Species: Rat

Value: > 500000 ppm Exposure time: 4 h

Test substance: 1,1,1,2-tetrafluoroethane (HFC-134a)

according to Regulation (EC) No. 1907/2006

Honeywell

Genetron® 404A

Version 3.2

Revision Date 26.01.2016

Supersedes 2

Skin irritation: no data available

Eye irritation: no data available

Respiratory or skin sensitisation:

no data available

Aspiration hazard: no data available

Other information:

1,1,1-trifluoroethane (HFC-143a): Not mutagenic in AMES Test.

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

Ethane, pentafluoro- (HFC-125): Cardiac sensitisation threshold (dog): 75000 ppm.

1,1,1-trifluoroethane (HFC-143a): Cardiac sensitisation threshold (dog): >250000 ppm.

1,1,1,2-tetrafluoroethane (HFC-134a): Cardiac sensitisation threshold (dog): 80000 ppm.

Inhalation: May cause cardiac arrhythmia.

Rapid evaporation of the liquid may cause frostbite.

Avoid skin contact with leaking liquid (danger of frostbite).

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: no data available

Toxicity to aquatic plants:

no data available

Toxicity to aquatic invertebrates:

no data available

12.2. Persistence and degradability

no data available

12.3.Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

according to Regulation (EC) No. 1907/2006

Honeywell

Genetron® 404A

Version 3.2 Revision Date 26.01.2016 Supersedes 2

Accumulation in aquatic organisms is unlikely.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Refer to manufacturer/supplier for information on recovery/recycling.

Remarks:

To present knowledge of the supplier, this product is not regarded as hazardous waste as defined by EU Directive 91/689/EC.Classification: 14.06.01

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

ADR/RID

UN Number : 3337

Description of the goods : REFRIGERANT GAS R 404A

Class : 2 Classification Code : 2A Hazard Identification : 20

Number

ADR/RID-Labels : 2.2 Environmentally hazardous : no

IATA

UN Number : 3337

Description of the goods : Refrigerant gas R 404A

Class : 2.2 Hazard Labels : 2.2

IMDG

UN Number : 3337

Description of the goods : REFRIGERANT GAS R 404A

Class : 2.2
Hazard Labels : 2.2
EmS Number : F-C, S-V
Marine pollutant : no

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other inventory information

according to Regulation (EC) No. 1907/2006

Honeywell

Genetron® 404A

Version 3.2 Revision Date 26.01.2016 Supersedes 2

US. Toxic Substances Control Act

On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act

On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)

All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List

On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List

On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances

On the inventory, or in compliance with the inventory

NZIOC - New Zealand

On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

1,1,1-Trifluoroethane : H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode

if heated.

Pentafluoroethane : H280 Contains gas under pressure; may explode

if heated.

Norflurane : H280 Contains gas under pressure; may explode

if heated.

Further information

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abreviations:

EC European Community

Page 11 / 12

according to Regulation (EC) No. 1907/2006

Honeywell

Genetron® 404A

Version 3.2

Revision Date 26.01.2016

Supersedes 2

CAS Chemical Abstracts Service DNEL Derived no effect level

PNEC Predicted no effect level

vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.